

CloudAccess.net Platform Server PHP Settings - (PHP.ini Settings)

PHP Version

CloudLinux provides us with all the prepared repos. CloudLinux archives are available through the yum package manager for Fedora, RHEL and CentOS.

Primary Version: 7.4.30

Alternate Options: 5.2.17,5.3.39, 5.4.45, 5.5.38, 5.6.40, 7.0.33, 7.1.33,7.2.34,7.3.33,7.4.33,8.0.26,8.1.13

PHP Parser: php-cgi

PHP Settings & Values for our multi-tenant Hosting Service

We have very large settings on our shared hosting servers. If you examine our settings closely, you will notice that they are much larger than most other hosting companies. If you require larger settings than what is offered, you should consider our Compute Booster. Please contact our sales department at sales@cloudaccess.net if you're interested. Professional Shared Hosting Plans also allow custom

PHP.INI settings.

```
realpath_cache_size 4MB
max_execution_time 660
max_input_time 60
memory_limit 512M
error_reporting E_ALL & ~E_NOTICE & ~E_DEPRECATED
display_errors Off
upload_max_filesize 360M
date.timezone "America/New_York"
allow_url_include Off
safe_mode Off
open_basedir none
output_buffering 0
allow_url_include Off
allow_url_fopen On
max_input_vars 10000
fsockopen PHP function !
```

PHP Extensions

In some cases, our engineers will consider a new extension that is not listed. Submit a support ticket for our engineers to review your case.

```
bcmath
curl (7.71)
dba
dom
fileinfo
gd bundled (2.3.3)
geoip
imagick (3.7.0)
imap
ioncube_loader
json
ldap
mbstring
memcache
mysqli
mysqlnd
odbc
opcache
openssl
pdo_mysql
pdo_odbc
pdo_pgsql
pdo
pdo_sqlite
pgsql
phar
snmp
soap
sqlite3
ssh2
```

tidy
tokenizer
wddx
xdebug
xmlreader
xmlrpc
xmlwriter
xsl
zip
Zlib Enabled

Processing PHP using Apache

The Apache Software Foundation - mod_fcgid - is tuned to perfection on our platform. A list of major mod_fcgid settings enabled on our platform are below. For the sake of protecting other tenants on the platform we cannot change these settings. Submit a support ticket if you have questions about how we run PHP on our platform.

Settings for our mod_fcgid configuration file:

Apache Module: mod_fcgid
PHP_Fix_Pathinfo_Enable 1
FcgidMaxProcessesPerClass 40
FcgidMaxRequestLen 1073741824
FcgidMaxRequestInMem 20971520
FcgidIdleTimeout 30
FcgidIdleScanInterval 20
FcgidBusyTimeout 30
FcgidBusyScanInterval 20
FcgidErrorScanInterval 3
FcgidZombieScanInterval 3
FcgidProcessLifeTime 60
FcgidSpawnScoreUpLimit 15
FcgidSpawnScore 1
FcgidTerminationScore 2
FcgidIOTimeout 1800

Disabled PHP Functions

If you require any of the disabled PHP functions listed below, please submit a support ticket and we can discuss your needs with our system administrators. Some settings are disabled to protect the platform from abuse.

socket_create
socket_connect
show_source
enable_dl
dl
memory_limit
socket_accept
socket_bind
socket_close
socket_create_listen
socket_create_pair
socket_listen
socket_recv
socket_recvfrom
socket_select
socket_send
socket_sendto
socket_shutdown

MySQL
MySQL - InnoDB – Enabled